









## REFERENCES

1. Kessler RC, Walters EE, Wittchen HU. Epidemiology. In: Heimberg RG, Turk CL, Mennin DS, editors. *Generalized Anxiety Disorder: Advances in Research and Practice*. New York: Guilford; 2004. p. 29-50.
2. Brown TA, Barlow DH, Liebowitz MR. The empirical basis of generalized anxiety disorder. *Am J Psychiatry* 1994;151:1272-80.
3. Roemer L, Orsillo SM. An acceptance based behavior therapy for generalized anxiety disorder. In: Orsillo SM, Roemer L, editors. *Acceptance and Mindfulness-Based Approaches to Anxiety: Conceptualization and Treatment*. New York: Springer; 2005. p. 213-40.
4. Wilson KG, Murrell AR. Values work in acceptance and commitment therapy: Setting a course for behavioral treatment. In: Hayes SC, Follette VM, Linehan MM, editors. *Mindfulness and Acceptance: Expanding the Cognitive-Behavioral Tradition*. New York: Guilford; 2004. p. 120-51.
5. Hayes SA, Orsillo SM, Roemer L. Changes in proposed mechanisms of action during an acceptance-based behavior therapy for generalized anxiety disorder. *Behav Res Ther* 2010;48:238-45.
6. Lee JK, Orsillo SM, Roemer L, Allen LB. Distress and avoidance in generalized anxiety disorder: Exploring the relationships with intolerance of uncertainty and worry. *Cogn Behav Ther* 2010;39:126-36.
7. Henning ER, Turk CL, Mennin DS, Fresco DM, Heimberg RG. Impairment and quality of life in individuals with generalized anxiety disorder. *Depress Anxiety* 2007;24:342-9.
8. Roemer L, Orsillo SM. An open trial of an acceptance-based behavior therapy for generalized anxiety disorder. *Behav Ther* 2007;38:72-85.
9. Roemer L, Orsillo SM, Salters-Pedneault K. Efficacy of an acceptance-based behavior therapy for generalized anxiety disorder: Evaluation in a randomized controlled trial. *J Consult Clin Psychol* 2008;76:1083-9.
10. Treanor M, Erisman SM, Salters-Pedneault K, Roemer L, Orsillo SM. An acceptance-based behavioral therapy for GAD: Effects on outcomes from three theoretical models. *Depress Anxiety* 2011;28:127-36.
11. Chambless DL, Baker MJ, Baucom DH, Beutler LE, Calhoun KS, Crits-Christoph P, *et al.* Update on empirically validated therapies II. *Clin Psychol* 1998;51:3-15.
12. Chambless DL, Ollendick TH. Empirically supported psychological interventions: Controversies and evidence. *Annu Rev Psychol* 2001;52:685-716.
13. Dugas MJ, Brillon P, Savard P, Turcotte J, Gaudet A, Ladouceur R, *et al.* A randomized clinical trial of cognitive-behavioral therapy and applied relaxation for adults with generalized anxiety disorder. *Behav Ther* 2010;41:46-58.
14. Hayes SC, Strosahl KD, Wilson KG, Bissett RT, Pistorello J, Toarmino D, *et al.* Measuring experiential avoidance: A preliminary test of a working model. *Psychol Rec* 2004;54:553-78.
15. Ware J Jr, Kosinski M, Keller SD. A 12-Item Short-Form Health Survey: Construction of scales and preliminary tests of reliability and validity. *Med Care* 1996;34:220-33.
16. Ware JE, Turner-Bowker DM, Kosinski M, Gandek B. How to score version 2 of the SF-12\_ health survey. Lincoln, RI: QualityMetric; 2002. p. 11-23.
17. Fong DY, Lam CL, Mak KK, Lo WS, Lai YK, Ho SY, *et al.* The Short Form-12 Health Survey was a valid instrument in Chinese adolescents. *J Clin Epidemiol* 2010;63:1020-9.
18. Luo X, Lynn George M, Kakouras I, Edwards CL, Pietrobon R, Richardson W, *et al.* Reliability, validity, and responsiveness of the short form 12-item survey (SF-12) in patients with back pain. *Spine (Phila Pa 1976)* 2003;28:1739-45.
19. Jenkinson C, Chandola T, Coulter A, Bruster S. An assessment of the construct validity of the SF-12 summary scores across ethnic groups. *J Public Health Med* 2001;23:187-94.
20. Bohannon RW, Maljanian R, Lee N, Ahlquist M. Measurement properties of the short form (SF)-12 applied to patients with stroke. *Int J Rehabil Res* 2004;27:151-4.
21. Agee JD, Danoff-Burg S, Grant CA. Comparing brief stress management courses in a community sample: Mindfulness skills and progressive muscle relaxation. *Explore (NY)* 2009;5:104-9.
22. Jain S, Shapiro SL, Swanick S, Roesch SC, Mills PJ, Bell I, *et al.* A randomized controlled trial of mindfulness meditation versus relaxation training: Effects on distress, positive states of mind, rumination, and distraction. *Ann Behav Med* 2007;33:11-21.
23. Borkovec TD. Life in the future versus life in the present. *Clin Psychol Sci Pract J* 2002;9:76-80.
24. Carlson LE, Speca M, Patel KD, Goodey E. Mindfulness-based stress reduction in relation to quality of life, mood, symptoms of stress, and immune parameters in breast and prostate cancer outpatients. *Psychosom Med* 2003;65:571-81.

**How to cite this article:** Zargar F, Farid AAA, Atef-Vahid M-K, Afshar H, Omid A. Comparing the effectiveness of acceptance-based behavior therapy and applied relaxation on acceptance of internal experiences, engagement in valued actions and quality of life in generalized anxiety disorder. *J Res Med Sci* 2013;18:118-22.

**Source of Support:** Nil, **Conflict of Interest:** None declared.